

Safety Data Sheet

Issue Date: 02-Jul-2020 Revision Date: 02-Jul-2020 Version 1

1. IDENTIFICATION

Product identifier

Product Name SPLASH RV & Marine Antifreeze -50°F

Other means of identification

SDS #/Part # 619527 (1 gallon), 619525 (2.5 gallon), 900956 (55 gallon drum), 483951 (250 gallon tote)

Recommended use of the chemical and restrictions on use

Recommended Use Antifreeze.

Details of the supplier of the safety data sheet

Manufacturer Address

FMP

1380 Corporate Center Curve, Suite 200

Eagan, MN 55121 Phone: 888-784-0802

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Pink liquid Physical state Liquid Odor Slight alcohol

Classification

Flammable liquids Category 3

Signal Word Warning

Hazard statements

Flammable liquid and vapor



Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use only non-sparking tools Take precautionary measures against static discharge Use explosion-proof equipment Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	5-10
Glycerol	56-81-5	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: Toxicological Information of this SDS for more detailed symptoms.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable liquid and vapor.

Hazardous combustion products Smoke, fumes or vapors, and oxides of carbon.

Explosion Data

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Keep away from

heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Use explosion proof equipment. Wear

Revision Date: 02-Jul-2020

protective gloves/protective clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	_
Glycerol	-	TWA: 15 mg/m ³ mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m ³ mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate	
		(vacated) TWA: 5 mg/m ³ mist,	
		respirable fraction	

Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits.

Odor

Odor Threshold

Remarks • Method

Revision Date: 02-Jul-2020

Slight alcohol

Not determined

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Not determined

Not determined

Not determined

Skin and Body Protection Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate

skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Pink liquid Color

Pink

Property Values Hq 8.2

Melting point / freezing point 5.8 °C / 21.5 °F Boiling point / boiling range Not determined Flash point 55.5 °C / 132 °F **Evaporation Rate** Not determined

Liquid - Not Applicable Flammability (Solid, Gas)

Flammability Limit in Air

Upper flammability or explosive

limits

Lower flammability or explosive

limits

Vapor Pressure Not determined **Vapor Density** Not determined **Relative Density** Not determined **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties**

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol	= 7060 mg/kg (Rat)	=	= 124.7 mg/L (Rat) 4 h
64-17-5			
Glycerol	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m ³ (Rat) 1 h
56-81-5			
Propylene Glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
57-55-6			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage.

ACGIH	IARC	NTP	OSHA
A3	Group 1	Known	X
	A3	A3 Group 1	A3 Group 1 Known

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50 69,006.17 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol		13400 - 15100: 96 h Pimephales	10800: 24 h Daphnia magna mg/L
64-17-5		promelas mg/L LC50 flow-through	EC50 2: 48 h Daphnia magna mg/L
		12.0 - 16.0: 96 h Oncorhynchus	EC50 Static 9268 - 14221: 48 h
		mykiss mL/L LC50 static 100: 96 h	Daphnia magna mg/L LC50
		Pimephales promelas mg/L LC50	
		static	
Glycerol		51 - 57: 96 h Oncorhynchus mykiss	500: 24 h Daphnia magna mg/L
56-81-5		mL/L LC50 static	EC50
Propylene Glycol	19000: 96 h Pseudokirchneriella	51400: 96 h Pimephales promelas	1000: 48 h Daphnia magna mg/L
57-55-6	subcapitata mg/L EC50	mg/L LC50 static 710: 96 h	EC50 Static 10000: 24 h Daphnia
		Pimephales promelas mg/L LC50 41	magna mg/L EC50
		- 47: 96 h Oncorhynchus mykiss	
		mL/L LC50 static 51600: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Ethyl Alcohol	-0.32
64-17-5	
Glycerol	-1.76
56-81-5	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Ethyl Alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT <u>1 and 55 Gallon Package</u>

NOT REGULATED PER 49 CFR 173.150(f)(2) "Combustible liquids in non-bulk packages"

Revision Date: 02-Jul-2020

250 Gallon Tote

UN number

UN1993

Proper Shipping Name

Flammable liquid, n.o.s. (Ethyl alcohol)

Transport hazard class(es) 3
Packing Group |||

<u>IATA</u>

1 Gallon Package = Pl355; 55 Gallon Package = Pl366; 250 Gallon Tote = FORBIDDEN

UN number UN1993

Proper Shipping Name Flammable liquid, n.o.s. (Ethyl alcohol)

Transport hazard class(es) 3
Packing Group III

IMDG

1 Gallon Package = LIMITED QUANTITY

55 and 250 Gallon Package = FULLY REGULATED

UN number UN1993

Proper Shipping Name Flammable liquid, n.o.s. (Ethyl alcohol)

Transport hazard class(es) 3
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Water	Х	ACTIVE	Х	X	Х	X	X	X	X
Ethyl Alcohol	Χ	ACTIVE	Х	X	Х	X	X	Х	Χ
Glycerol	Χ	ACTIVE	X	X	X	X	X	X	X
Propylene Glycol	Х	ACTIVE	X	X	X	X	X	Х	X
Dipotassium Phosphate	Х	ACTIVE	Х	X	Х	X	X	X	Χ

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	Х	X
Glycerol 56-81-5	X	Х	X
Propylene Glycol 57-55-6	Х		X

16. OTHER INFORMATION

Health Hazards Special Hazards NFPA Flammability Instability Not determined Not determined Not determined Not determined **Health Hazards Flammability** Physical hazards **Personal Protection** HMIS Not determined Not determined Not determined Not determined

Issue Date:02-Jul-2020Revision Date:02-Jul-2020Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SPLASH RV & Marine Antifreeze -50°F	Revision Date: 02-Jul-2020