

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

**SECTION 1. IDENTIFICATION**

Product name : GOJO® ORIGINAL FORMULA™ Hand Cleaner

**Manufacturer or supplier's details**

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500  
Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone number : CHEMTREC 1-800-424-9300  
CHEMTREC +1-703-527-3887: Outside USA & CANADA**Recommended use of the chemical and restrictions on use**

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.


**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Precautionary statements : **Prevention:**  
P280 Wear eye protection/ face protection.

**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**
**Hazardous components**

Chemical name	CAS-No.	Concentration (%)
C11-15 Alkane/cycloalkane	64742-47-8	>= 30 - < 50
Mineral Oil (Paraffinum Liquidum)	8042-47-5	>= 10 - < 20
Trideceth-9	24938-91-8	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Petrolatum	8009-03-8	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1
Chloroxylonol	88-04-0	>= 0.1 - < 1

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if irritation develops and persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Seek medical advice.

If swallowed : If swallowed, DO NOT induce vomiting.  
Rinse mouth with water.  
Obtain medical attention.

Most important symptoms and effects, both acute and delayed : Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : None known.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Material can create slippery conditions.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Clean contaminated floors and objects thoroughly while observing environmental regulations.

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : For personal protection see section 8.  
Do not swallow.

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 40000000198

Revision Date: 02/28/2018

Avoid contact with eyes.  
Keep container closed when not in use.

Conditions for safe storage : Keep in properly labelled containers.  
Keep container tightly closed in a dry and well-ventilated place.  
Store in accordance with the particular national regulations.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C11-15 Alkane/cycloalkane	64742-47-8	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA	200 mg/m <sup>3</sup> (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Mineral Oil (Paraffinum Liquidum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Mist)	5 mg/m <sup>3</sup>	OSHA P0
Propylene Glycol	57-55-6	TWA	10 mg/m <sup>3</sup>	US WEEL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Mist)	5 mg/m <sup>3</sup>	OSHA P0

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection  
Remarks : No special protective equipment required.

Eye protection : Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : No special measures necessary provided product is used correctly.

Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to


**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

the specific work-place.  
Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Avoid contact with eyes.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : opaque, white, yellow

Odour : solvent-like

pH : 9.0, (20 °C)

Melting point/freezing point : No data available

Initial boiling point and boiling range : 98 °C

Flash point : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.883 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : The substance or mixture is not classified self-reactive.

Viscosity  
Viscosity, kinematic : > 100000 mm<sup>2</sup>/s (20 °C)

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Conditions to avoid : No data available

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

**Components:****C11-15 Alkane/cycloalkane:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Mineral Oil (Paraffinum Liquidum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Trideceth-9:**

Acute oral toxicity : LD50 (Rat): > 500 - < 2,000 mg/kg

**Propylene Glycol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l, > 51091 ppm

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Acute oral toxicity : LD50 (Rat): 1,050 mg/kg

**Chloroxylenol:**

Acute oral toxicity : Acute toxicity estimate : 500 mg/kg  
Method: Expert judgement  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute inhalation toxicity : LC50 (Rat): > 6.29 mg/l  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****C11-15 Alkane/cycloalkane:**

Assessment: Repeated exposure may cause skin dryness or cracking.

**Mineral Oil (Paraffinum Liquidum):**

Species: Rabbit

Result: No skin irritation

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

**Trideceth-9:**

Species: Rabbit

Result: No skin irritation

**Propylene Glycol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

**Petrolatum:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Species: Rabbit

Result: Skin irritation

**Chloroxylonol:**

Result: Skin irritation

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****C11-15 Alkane/cycloalkane:**

Species: Rabbit

Result: No eye irritation

**Mineral Oil (Paraffinum Liquidum):**

Species: Rabbit

Result: No eye irritation

**Trideceth-9:**

Species: Rabbit

Result: Irreversible effects on the eye

**Propylene Glycol:**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

**Petrolatum:**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

**Chloroxylonol:**



**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Result: Irreversible effects on the eye

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Product:**

Result: Does not cause skin sensitisation.

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

**Components:****C11-15 Alkane/cycloalkane:**

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Remarks: Based on data from similar materials

**Mineral Oil (Paraffinum Liquidum):**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

**Propylene Glycol:**

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

**Petrolatum:**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

**Chloroxylenol:**

Assessment: Probability or evidence of skin sensitisation in humans

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****C11-15 Alkane/cycloalkane:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration  
Test species: Rat  
Application Route: Intraperitoneal injection  
Result: negative  
Remarks: Based on data from similar materials

**Mineral Oil (Paraffinum Liquidum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Test species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Propylene Glycol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Test species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Petrolatum:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Test species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Test species: Rat  
Result: negative

**Chloroxylenol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Carcinogenicity**

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Not classified based on available information.

**Components:****Mineral Oil (Paraffinum Liquidum):**

Species: Rat

Application Route: Ingestion

Exposure time: 24 Months

Result: negative

**Propylene Glycol:**

Species: Rat

Application Route: Ingestion

Exposure time: 2 Years

Result: negative

**Petrolatum:**

Species: Rat

Application Route: Ingestion

Exposure time: 2 Years

Result: negative

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Components:****C11-15 Alkane/cycloalkane:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Mineral Oil (Paraffinum Liquidum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Propylene Glycol:**

Effects on fertility : Species: Mouse  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Petrolatum:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Effects on foetal development : Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****C11-15 Alkane/cycloalkane:**

Species: Rat  
NOAEL: > 10.4 mg/l  
Application Route: inhalation (vapour)  
Exposure time: 90 d  
Remarks: Based on data from similar materials

**Mineral Oil (Paraffinum Liquidum):**

Species: Rat  
LOAEL: 160 mg/kg  
Application Route: Ingestion  
Exposure time: 90 d


**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Species: Rat  
 LOAEL:  $\geq 1$  mg/l  
 Application Route: inhalation (dust/mist/fume)  
 Exposure time: 4 w  
 Method: OECD Test Guideline 412

**Propylene Glycol:**

Species: Rat  
 NOAEL: 1,700 mg/kg  
 Application Route: Ingestion  
 Exposure time: 2 y

**Petrolatum:**

Species: Rat  
 NOAEL: 5,000 mg/kg  
 Application Route: Ingestion  
 Exposure time: 2 y

**Chloroxylenol:**

Species: Rabbit  
 LOAEL: 180 mg/kg  
 Application Route: Skin contact  
 Exposure time: 90 d

**Aspiration toxicity**

Not classified based on available information.

**Components:**
**C11-15 Alkane/cycloalkane:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Mineral Oil (Paraffinum Liquidum):**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

---

**SECTION 12. ECOLOGICAL INFORMATION**
**Ecotoxicity**
**Components:**
**C11-15 Alkane/cycloalkane:**

Toxicity to fish	: LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction
Toxicity to algae	: EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction


**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

- NOELR (Skeletonema costatum (marine diatom)): 993 mg/l  
 Exposure time: 72 h  
 Test substance: Water Accommodated Fraction
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Ceriodaphnia Dubia (water flea)): > 70 mg/l  
 Exposure time: 8 d  
 Test substance: Water Accommodated Fraction
- Toxicity to bacteria : EC50: > 100 mg/l  
 Exposure time: 3 h

**Mineral Oil (Paraffinum Liquidum):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202
- Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l  
 Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
 Exposure time: 21 d

**Trideceth-9:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50: > 1 - 10 mg/l  
 Exposure time: 48 h
- Toxicity to algae : EC50: > 1 - 10 mg/l  
 Exposure time: 72 h

**Propylene Glycol:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l  
 Exposure time: 48 h
- Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : Chronic Toxicity Value: 2,500 mg/l  
 Exposure time: 30 d


**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l  
Exposure time: 7 d

Toxicity to bacteria : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

**Petrolatum:**

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Toxicity to fish : LC50: > 10 - 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 10 - 100 mg/l  
Exposure time: 72 h

Toxicity to bacteria : EC50: > 100 mg/l  
Exposure time: 120 h

**Chloroxylonol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.7 mg/l  
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

**Persistence and degradability****Components:****C11-15 Alkane/cycloalkane:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 82 %  
Exposure time: 24 d  
Method: OECD Test Guideline 301F

**Mineral Oil (Paraffinum Liquidum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

**Trideceth-9:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d

**Propylene Glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Petrolatum:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Sodium Hydroxymethylglycinate:**

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential****Components:****Propylene Glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07

**Sodium Hydroxymethylglycinate:**

Partition coefficient: n-octanol/water : log Pow: < 3

**Chloroxylonol:**

Partition coefficient: n-octanol/water : log Pow: 3.27

**Mobility in soil**

No data available

**Other adverse effects**

No data available




**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

---

**SECTION 13. DISPOSAL CONSIDERATIONS**
**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

**SECTION 14. TRANSPORT INFORMATION**
**International Regulation****IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**National Regulations****49 CFR**

Not regulated as a dangerous good

---

**SECTION 15. REGULATORY INFORMATION**
**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Hydroxide	1310-73-2	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.


**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1

SDS Number: 400000000198

Revision Date: 02/28/2018

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Propylene Glycol	57-55-6	1.7691 %
------------------	---------	----------

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

**Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**US State Regulations**
**Massachusetts Right To Know**

C11-15 Alkane/cycloalkane	64742-47-8	30 - 50 %
Mineral Oil (Paraffinum Liquidum)	8042-47-5	10 - 20 %
Petrolatum	8009-03-8	1 - 5 %
Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %

**Pennsylvania Right To Know**

C11-15 Alkane/cycloalkane	64742-47-8	30 - 50 %
Water (Aqua)	7732-18-5	30 - 50 %
Mineral Oil (Paraffinum Liquidum)	8042-47-5	10 - 20 %
Oleic Acid	112-80-1	5 - 10 %
Trideceth-9	24938-91-8	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %
Petrolatum	8009-03-8	1 - 5 %
Sodium Hydroxide	1310-73-2	0.1 - 1 %
Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %

**New Jersey Right To Know**

C11-15 Alkane/cycloalkane	64742-47-8	30 - 50 %
Water (Aqua)	7732-18-5	30 - 50 %
Mineral Oil (Paraffinum Liquidum)	8042-47-5	10 - 20 %
Oleic Acid	112-80-1	5 - 10 %
Trideceth-9	24938-91-8	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %
Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %

**California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : On TSCA Inventory

**GOJO® ORIGINAL FORMULA™ Hand Cleaner**

Version 1.1


SDS Number: 400000000198

Revision Date: 02/28/2018

AICS	: On the inventory, or in compliance with the inventory
DSL	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**SECTION 16. OTHER INFORMATION**
**Further information**
**NFPA:**

**HMIS III:**

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 02/28/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.